

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

NASA CONTRACTOR REPORT 177375

1N-
with DRA

CDCCRAY

Clayton J. Guest

(NASA-CR-177375) CDCCRAY (Informatics-PMI,
Inc.) 11 p HC A02/MF A01 CSCL 09B

N85-35640

Unclas
33/61 26285

CONTRACT NAS2-11555
March, 1985

NASA



NASA CONTRACTOR REPORT 177375

CDCCRAY

Clayton J. Guest
Informatics General Corporation
1121 San Antonio Road
Palo Alto, CA 94303

Prepared for
Ames Research Center
Contract NAS2-11555



National Aeronautics and
Space Administration

Ames Research Center
Moffett Field, California 94035

TABLE OF CONTENTS

		<u>Page</u>
Section 1	Purpose	1
Section 2	Usage	2
Section 3	Storage	3
Section 4	Timing Consideration	4
Section 5	Linkage Editing	5

TABLES AND GRAPHS

Table I - Conversion Options	3
Table II - IERROR (Error Codes Returned)	3
Timing Considerations Graph	6

Section 1

Purpose

CDCCRAY is a FORTRAN subroutine which runs on the Cray to convert either 32 bit or 64 bit binary data from a Control Data Corporation's "Cyber 2XX" computer to a corresponding 64 bit binary data for CRAY "1S or X-MP" computer.

Section 2

Usage

The entry point to the subroutine is CDCCRAY. To call the subroutine use the following FORTRAN statement:

CALL CDCCRAY (NWORDS, VECTRIN, VECTROUT, ITYPE, IERROR)

where the arguments have the following definition:

NWORDS	the number of CYBER 2XX words to be converted. Must be integer.
VECTRIN*	is a vector of CYBER 2XX 64 bit words to be converted to CRAY format. VECTRIN may be real or integer.
VECTROUT*	is a vector to receive the converted words. This vector is the result and is in CRAY format (binary). VECTROUT may be either real or integer.
ITYPE	is a value which specifies the type of conversion. (see table I) Must be integer.
IERROR	is a value assigned should an error be detected (see table II). Must be integer.

*note:

VECTRIN and VECTROUT may be the same vectors except when converting "CYBER 2XX" 32 bit words. When converting "CYBER 2XX" 32 bit words it is necessary for VECTRIN and VECTROUT to be unique vectors and VECTRIN contains two 32 bit words per each 64 bit word. The odd numbered words must be in the left half and the even numbered words in the right half.

Table I - Conversion Options

<u>ITYPE</u>	<u>Definition</u>
1	Integer conversion of "CYBER 2XX" to CRAY.
2	Real conversion of "CYBER 2XX" 64 bit words to CRAY 64 bit.
3	Real conversion of "CYBER 2XX" 32 bit words to CRAY 64 bit.

Table II - IERROR (Error Codes Returned)

<u>IERROR</u>	<u>Definition</u>
0	No errors
1	Argument value of NWORDS incorrect. NWORDS must be a positive integer.
2	Argument value of ITYPE incorrect. Value of ITYPE must be 1, 2, or 3 as shown in table I.
3	Arguments VECTRIN and VECTROUT are either the same or overlaps when converting real 32 bit values.
4	Can not convert a real variable. VECTRIN value was indefinite or not normalized. Result stored in VECTROUT is set to 64 one bits.
5	Can not convert an integer variable. VECTRIN was not in "CYBER 2XX" integer format. Result stored in VECTROUT is set to 64 one bits."

*Notes: When IERROR is returned to calling module with a value of 1, 2, or 3 the call to CDCRAY was aborted and no conversion was attempted VECTRIN and VECTROUT remains as called.

When IERROR is returned to calling module with a value of 4 or 5 words which were convertible were converted.

Section 3

Storage


This subroutine requires 261 decimal words or 405 octal words of CRAY memory.

Section 4

Timing Considerations

Each group of fifty integers converted from the CYBER 2XX internal binary format to CRAY internal binary requires approximately $.56 \times 10^{-4}$ seconds. The conversion of fifty 64 bit real values in binary format requires approximately $.135 \times 10^{-3}$ seconds. A conversion of fifty real 32 bit binary words to 64 binary words requires approximately $.22 \times 10^{-3}$ seconds.

The approximate timings from 0 to 1000 words are shown in the following graph.



Section 5

Linkage Editing

To use subroutine CDCCRAY the following job control language must be included in the users job stream before the program is executed.

```
ACCESS, DN=SOFTLIB, ID=SOFTLIB.  
LDR, LIB=SOFTLIB, etc.
```

Examples

Example 1. Convert a vector of 512 integers from the CYBER 2XX to a vector of integer for the CRAY. The input vector is ICYBER and the output vector is ICRAY.

```
INTEGER ICRAY(512), ICYBER(512)  
:  
:  
ITYPE=1  
KOUNT=512  
CALL CDCCRAY(KOUNT, ICYBER, ICRAY, KTYPE, IGOOF)  
IF (IGOOF .NE. 0) Go to error processing.  
:  
:
```

Example 2. Convert a vector of 257 CYBER 2XX 32 bit real numbers to CRAY real numbers. The input vector, CYBER, has 2 32 bit words per 64 bit word. The output vector, CRAY, receives the counted words.

```
DIMENSION CRAY(257), CYBER(129)  
:  
:  
N=257  
ITYPE=3  
CALL CDCCRAY(N, CYBER, CRAY, ITYPE, IERROR)  
IF(IERROR) .NE.0) Go to error processing  
:  
:  
END
```

1. Report No. NASA CR- 177375		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle CDCCRAY				5. Report Date March, 1985	
				6. Performing Organization Code	
7. Author(s) Clayton J. Guest				8. Performing Organization Report No. TN 84-7104-101-13	
9. Performing Organization Name and Address Informatics General Corporation 1121 San Antonio Road Palo Alto, CA 94303				10. Work Unit No. K1707	
				11. Contract or Grant No. NAS2-11555	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546				13. Type of Report and Period Covered Contract Report	
				14. Sponsoring Agency Code 999-53-02	
15. Supplementary Notes Robert A. Carlson (415) 694-6036 Point of Contact: MS: 233-15 FTS 448-6036 Ames Research Center Moffett Field, CA 94035					
16. Abstract CDCCRAY is a Fortran subroutine which runs on the Cray and converts 32 or 64 bit binary data from the CDC Cyber 205 to the corresponding 64 bit binary data for the Cray X-MP.					
17. Key Words (Suggested by Author(s)) Binary data conversion, software tool, Cray X-MP, CDC Cyber 205				18. Distribution Statement unclassified, unlimited Star category -61	
19. Security Classif. (of this report) unclassified		20. Security Classif. (of this page) unclassified		21. No. of Pages 7	
22. Price*					